

VHF/UHF Transceivers > Kenwood > TM-D710E - VHF/UHF Dual Band Mobile Transceiver

TM-D710E - VHF/UHF Dual Band Mobile Transceiver



Model : TM-D710E

Manufacturer : KENWOOD

TM-D710E - VHF/UHF Dual Band Mobile Transceiver.

1. MAIN FEATURES

Built-In TNC

It has a built-in 1200/9600 bps TNC. With a portable computer, this allows you to enjoy Packet operation easily and it also enables you to enjoy the APRS®; and EchoLink®; operation modes.

Full Dot LCD & Smart menu

The radio has a large full dot multi-functional LCD display (235x65 dots). It enables you to see the display easily, and you can operate the radio via its smart menu system which you can operate instinctively.

Over 60 APRS®; menus

Various new APRS features are available. The predecessor model, the TM-D700E, had 26 menus but the new TM-D710E has over 60 menus for greater APRS enjoyment.

High RF Power Output (50W)

The TM-D710E provides an impressive 50 watts of RF power on both VHF & UHF bands, with a choice of High/Mid/Low settings.

Dual Receive on Same Band (VxV, UxU, VxU)

In addition to simultaneous receive on both VHF and UHF bands, the TM-D710E can receive two frequencies on the same band (V x V or U x U).

Green & Amber Colour Display

To maximize visibility, the backlight colour of the large LCD display can be switched between green and amber.

Programmable Memory

For extra versatility, the TM-D710E has a programmable memory function that can store five entire operating profiles, ready for instant recall at the push of a button. Each profile includes such settings as display mode, frequency range and memory mode.

1,000 Memory Channels

There are 1,000 split memory channels for storing essential data, such as transmit and receive frequencies, frequency step and tone frequency. Each channel can be identified with a 6-digit alphanumeric memory name. The memory data can be edited and stored on a PC, using the optional PG-5G interface cable and MCP-2A memory control software.

Multiple Scan

As well as VFO scan, programmable scan, MHz scan, memory scan and call scan, the TM-D710E offers memory bank scan. The 1,000 channels can be grouped into 10 banks for selective scanning. Scan resume (time-operated, carrier-operated and seek), memory channel lockout, tone scan, CTCSS scan and DCS scan functions are built-in.

VHF/UHF Transceivers > Kenwood > TM-D710E - VHF/UHF Dual Band Mobile Transceiver

TM-D710E - VHF/UHF Dual Band Mobile Transceiver

Built-in CTCSS/DCS

The TM-D710E is equipped with analogue CTCSS (42 subtone frequencies) and digital DCS (104 codes).

ECHOLINK®; Memory

Up to 10 EchoLink®; memory stations can be stored using call signs (max. 8 alphanumeric characters). You can easily access an Echolink node terminal without having to use a call sign.

ECHOLINK®; NODE TERMINAL Operation

When the TM-D710E is connected to a PC (with the necessary software installed) using the optional PG-5H, it can operate as a node terminal for Echolink®; access.

Features:

Menu System

Wide Band Reception : 118-524MHz & 800-1300MHz as standard

Separate VOL/SQL for A and B Bands

GPS connector for NMEA 0183 format

8-Pin Mini-DIN connector for PC connection

Programmable Function Keys

Band Mask (Mask unused band)

Call Channel

S-meter Squelch & Hysteresis Timer

Monitor Function

Audio Mute & Hang-up Timer

Automatic Power Off (up to 3-hours)

MHz Mode

Selectable Frequency Step

Shift Function

Repeater Offset (selectable)

Automatic Repeater Offset (On/Off, VHF only)

Reverse Function

DTMF Memory (10 channels, 16 digits)

Time-Out Timer

Key Lock

Power-on Password Protection

Memory Shift

Programmable VFO

Beep On/Off, Volume Control

Microphone program Function

Channel Display Mode

Power-On Message

LCD Brightness Control, Automatic Dimmer

Switch to External Speaker

Reset (VFO, PART, PM, FULL)

Cross Band Repeater Function (Dealer Modification Only)

DTMF Remote Control (available in Cross Band Repeater mode) Options.

PG-5A Packet cable

PG-5F Separation kit 4m

PG-5G Programming cable for TM-V71E/TM-D710E

PG-5H Echolink Cable TM-V71E/TM-D710E (includes PG-5G)

VHF/UHF Transceivers > Kenwood > TM-D710E - VHF/UHF Dual Band Mobile Transceiver

TM-D710E - VHF/UHF Dual Band Mobile Transceiver

KENWOOD VGS-1 Voice Guide & Storage Unit for TM--D710E

Price : £439.30 inc VAT (£373.87 ex VAT)

Availability: This product was added to our catalog on Tuesday 31 July, 2007

RadioWorld Ltd